

Architect: Federico Nardelli

REYNAERS HANDLES

overview of handles for windows, doors, sliding,
folding and lift & slide doors

R
REYNAERS
aluminium




1. PURITY®

EXCLUSIVE AND ELEGANT DESIGN

For people who desire a ultimate design, a unique Reynaers handle series is created, called PuRity. This series combines next-generation material and mechanical properties with the superior Italian design abilities of designer Leo De Carlo. PuRity is innovative and distinctive in terms of material, design and installation. The PuRity range is suited for all Reynaers windows, doors, sliding doors and lift&slide doors.

MATERIAL

PuRity handles are made of a brand new material called PURA which is fully recyclable, 100% ecological, non-corrosive and anti-allergic. The unique BIOV or "Bioecologic Ion Overlay" process finishing is based on the deposition of gaseous metal ions, applied under vacuum. This coating is 100% ecological and recyclable which makes the handles extremely resistant against wear, very suited for aggressive environments and as an option even **anti-bacterial**. The combination of the material and surface treatment makes PuRity a sustainable handle!



DESIGN

The PuRity range is fully adapted to the use- and design needs of constructors. The result is a minimal, classical and rational design that will give the Reynaers systems a unique touch.



INSTALLATION

We also provide the handles with their own unique new-generation mechanism, named Cliq-Clag. This mechanism slides over the square spindle of the doors or windows, and then snaps into place. Consequently, it ensures stronger fixation and allows the handle to return to the perfect position.



COLOURS

AVAILABLE COLOURS



Sapphire black
ref: LBMA



Eclipse
ref: BLMA



Moonlight white
ref: WHMA



Lithium
ref: STST

*in collaboration with ENTECH srl



1.1. WINDOWS

A. DESIGN HANDLE



Also available with
built-in cylinder lock
(ref. AA)

B. COMFORT HANDLE



Also available with
built-in cylinder lock
(ref. BB)

C. REDUCED HANDLE



D. DESIGN HANDLE OFFSET



E. COMFORT HANDLE OFFSET



| A | 161.7126.-- 161.7124.PC 161.7100.PC | ✓ | | | ✓ | ✓ | ✓ | | | | | ✓ | | | | | |
|----|---|---|---|--|---|---|---|--|--|--|--|---|--|---|---|---|---|
| AA | 161.7103.PC | | ✓ | | ✓ | | ✓ | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| AA | 161.7104.PC | | ✓ | | | ✓ | ✓ | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| B | 161.7126.-- 161.7124.PC 161.7110.PC | ✓ | | | ✓ | ✓ | ✓ | | | | | ✓ | | | | | |
| BB | 161.7113.PC | | ✓ | | ✓ | | ✓ | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| BB | 161.7114.PC | | ✓ | | | ✓ | ✓ | | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| C | 061.7137.PC | ✓ | | | ✓ | ✓ | ✓ | | | | | ✓ | | | | | |
| D | 161.7126.-- 161.7124.PC 161.7101.PC | ✓ | | | ✓ | ✓ | ✓ | | | | | ✓ | | | | | |
| E | 161.7126.-- 161.7124.PC 161.7111.PC | ✓ | | | ✓ | ✓ | ✓ | | | | | ✓ | | | | | |



1.2. DOORS

A. DESIGN HANDLE



Also available with a long cover plate (ref. AA)

B. COMFORT HANDLE



Also available with a long cover plate (ref. BB)

C. REDUCED HANDLE



D. DESIGN HANDLE OFFSET



Also available with a long cover plate (ref. DD)

E. COMFORT HANDLE OFFSET



ACCESSORIES

2-4-6 mm

F. PZ CYLINDER COVER



separate cylinder cover available with PuRity design in different dimensions and cylinder types

| A | 161.7125.-- 161.7124.PC 161.7100.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
|----|---|---|---|--|---|---|---|---|--|--|--|---|--|---|---|---|---|
| AA | 161.7469.PC 161.7100.PC | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| AA | 161.7470.PC 161.7100.PC | | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| B | 161.7125.-- 161.7124.PC 161.7110.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| BB | 161.7469.PC 161.7110.PC | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| BB | 161.7470.PC 161.7110.PC | | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| C* | 161.7363.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| C* | 161.7364.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| D | 161.7125.-- 161.7124.PC 161.7101.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| DD | 161.7469.PC 161.7101.PC | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| DD | 161.7470.PC 161.7101.PC | | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| E | 161.7125.-- 161.7124.PC 161.7111.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| E | 161.7469.PC 161.7111.PC | | ✓ | | ✓ | | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| E | 161.7470.PC 161.7111.PC | | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| F | 061.7146.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| F | 061.7147.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| F | 061.7148.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |

*Not suited for Folding Door with door elements



1.3. SLIDING DOORS



A. DESIGN HANDLE



B. COMFORT HANDLE



C. DESIGN HANDLE OFFSET



D. COMFORT HANDLE OFFSET

ACCESSORIES

2-4-6 mm



E. PZ CYLINDER COVER

separate cylinder cover available with PuRity design in different dimensions and cylinder types

| A | 161.7226.-- 161.7124.PC 161.7100.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
|---|---|---|---|--|---|---|---|---|--|--|--|---|--|--|--|--|--|
| B | 161.7226.-- 161.7124.PC 161.7110.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| C | 161.7226.-- 161.7124.PC 161.7101.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| D | 161.7226.-- 161.7124.PC 161.7111.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| E | 061.7146.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| E | 061.7147.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| E | 061.7148.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |



1.4. LIFT AND SLIDE DOORS



A. DESIGN HANDLE



B. COMFORT HANDLE



C. RECESSED HANDLE

| A | 061.7105.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
|---|-------------|---|---|--|---|---|---|---|--|--|--|---|--|--|--|--|--|
| A | 061.7106.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| B | 061.7115.PC | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| B | 061.7116.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
| C | 061.7112.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |



1.5. FOLDING DOORS

PuRity window configurations can be applied on the CF range of folding window elements.

See windows section for full overview (page 4)

PuRity door configurations can be applied in the CF range of folding door elements.

See doors section for full overview (page 6)

A. REDUCED HANDLE



| A | 061.7138.PC | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | | ✓ | | | | | |
|---|-------------|---|--|--|---|---|---|---|--|--|--|---|--|--|--|--|--|



2. CONTOUR

MODERN SAFETY

CONTOUR is Reynaers' new range of robust stainless steel handles in a fresh and modern design to meet even the stringest durability and safety demands. CONTOUR is compatible with most systems and opening types such as SlimLine 38, MasterLine 8 and 10, CP 130 and CP 155 and Masterpatio.

MATERIAL

CONTOUR handles are made of stainless steel which is very durable and highly resistant against corrosion. The robust stainless steel in this handle range is not only a protection from burglar attacks, the clean and pure material is easy to maintain, resistant to cleaning products, and therefore often the material of choice in demanding environments like hospitals. The fact that stainless steel is recyclable makes CONTOUR handles a sustainable choice!



DESIGN

The CONTOUR range meets all requirements for a modern or contemporary home. Their timeless design and high quality add value to the property and give a feel of luxury, without compromising on functionality.



SAFETY

CONTOUR handles contribute to your safety. Most of the handles have an SKG** or even SKG*** classification and are applicable on Reynaers Certified RC2 systems, which means they are highly resistant against burglary.



COLOURS

AVAILABLE COLOURS

Contour handles are available in stainless steel only.



2.1. WINDOWS

A. STANDARD HANDLE



B. HANDLE WITH CYLINDER



Available in standard and specific for tilt before turn.





| A | 061.8961.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
|---|-------------|---|---|--|---|---|---|--|--|--|---|--|--|--|--|--|--|
| B | 061.8962.-- | | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
| B | 061.8963.-- | | ✓ | | | ✓ | ✓ | | | | ✓ | | | | | | |
| B | 061.8964.-- | | ✓ | | ✓ | | ✓ | | | | ✓ | | | | | | |



2.2. DOORS

A. STANDARD HANDLE WITH CLICK SHIELD



Also available with lock and with a short cover plate (ref. AA)

B. DOOR PULL



outside versions

ACCESSORIES



E. CYLINDER COVER

Separate cylinder cover available for Contour door and sliding elements handles.

C. SECURITY HANDLE - FULL MATERIAL SHIELD



inside version

outside version



inside version

outside versions

Also available with lock (ref. CC)

D. SECURITY DOOR PULL



| A | 061.8940.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
|----|-------------|---|---|---|---|---|---|---|--|--|---|--|--|---|--|---|---|
| A | 061.8922.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | | | | |
| A | 061.8942.-- | | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
| A | 061.8924.-- | | ✓ | | ✓ | ✓ | | ✓ | | | ✓ | | | | | | |
| AA | 061.8929.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
| AA | 061.8930.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | | | | |
| B | 061.8925.-- | ✓ | | | | ✓ | | ✓ | | | ✓ | | | | | | |
| B | 061.8926.-- | ✓ | | | ✓ | | | ✓ | | | ✓ | | | | | | |
| B | 061.8927.-- | | ✓ | | | ✓ | | ✓ | | | ✓ | | | | | | |
| B | 061.8928.-- | | ✓ | | ✓ | | | ✓ | | | ✓ | | | | | | |
| C | 061.8931.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| C | 061.8932.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| CC | 061.8933.-- | | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| CC | 061.8934.-- | | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| CC | 061.8935.-- | | ✓ | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8936.-- | | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8937.-- | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8959.-- | | | | | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8960.-- | | | | ✓ | | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| E | 061.8938.-- | | ✓ | | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | |



2.3. SLIDING DOORS

A. STANDARD HANDLE



AA. Short cover plate

ACCESSORIES



C. CYLINDER COVER

Separate cylinder cover available for Contour door and sliding elements handles. Combined with short faceplate.

B. SECURITY HANDLE



inside versions



outside versions

D. SECURITY DOOR PULL



| A | 061.8940.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
|----|-------------|---|---|---|---|---|---|---|--|--|---|--|--|---|--|---|---|
| A | 061.8942.-- | | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
| A | 061.8941.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | | | | |
| A | 061.8943.-- | | ✓ | | ✓ | ✓ | | ✓ | | | ✓ | | | | | | |
| AA | 060.8929.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | | | | |
| AA | 060.8930.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | | | | |
| B | 061.8944.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| B | 061.8945.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| B | 061.8946.-- | | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| B | 061.8947.-- | | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| B | 061.8948.-- | | ✓ | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| C | 061.8938.-- | | ✓ | | | | | | | | ✓ | | | | | | |
| D | 061.8949.-- | ✓ | | | | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8950.-- | ✓ | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8951.-- | ✓ | | | | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8952.-- | ✓ | | | ✓ | | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8953.-- | | ✓ | | | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8954.-- | | ✓ | | ✓ | | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8955.-- | | ✓ | | | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8956.-- | | ✓ | | ✓ | | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8957.-- | | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | ✓ |
| D | 061.8958.-- | | ✓ | ✓ | ✓ | | ✓ | | | | ✓ | | | ✓ | | ✓ | ✓ |



2.4. LIFT AND SLIDE DOORS

A. SECURITY HANDLE



inside versions



outside versions



B. CUP SECURITY HANDLE



outside version





| A | 061.8967.-- | | ✓ | | ✓ | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | |
|---|-------------|---|---|---|---|---|---|---|--|--|---|--|--|---|--|---|--|
| A | 061.8968.-- | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | | | ✓ | | ✓ | |
| A | 061.8969.-- | | ✓ | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | |
| A | 061.8970.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | |
| A | 061.8971.-- | | ✓ | ✓ | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | |
| B | 061.8972.-- | ✓ | | | ✓ | ✓ | | ✓ | | | ✓ | | | ✓ | | ✓ | |

A close-up photograph of a dark, minimalist window handle. The handle is sleek and rectangular, mounted on a dark frame. In the background, a blurred living room is visible, featuring a light-colored sofa and a window with a view of a cityscape.

3. TOUCH

TRUE ELEGANCE

TOUCH handles exude true elegance and fit into any type of architecture. Create an aesthetic look with this minimalist timeless design, tailored to the needs of contemporary living, without sacrificing ease of use.

MATERIAL & FINISH

The touch handles and cup handles are produced with carefully selected, high-end materials. Most handles can be powder coated in over 450 RAL-colours in a matt, glossy or coatex surface finish and/or anodised in various tones. This way, we ensure a perfect match with the profiles of the window.

An antimicrobial coating is available on all existing colours and types of powder coating and anodization finishes, and proven to significantly reduce the risk of pathogen transfer.



DESIGN

Style and quality are combined in Touch, a trendsetting range of design hardware from Reynaers Aluminium. Touch offers sleek, elegant and slim hardware, suitable for windows, doors, sliding and folding doors. It is even suitable for use on wooden interior doors, to allow for a consistent design look throughout your home. The sleek design fits perfectly into modern homes, but also provides a stylish contrast in renovations.



SAFETY

The Touch Security handles and cup handles are burglar proof. Door handles are fitted with a long shield in solid aluminium, making the cylinder almost impossible to access, and even harder to break.





3.1. WINDOWS

A. STANDARD HANDLE



Also available for
CF and outward
opening windows



B. REDUCED HANDLE



C. ROSELESS HANDLE



Also available with built-in cylinder lock (ref. BB)

D. STANDARD HANDLE WITH PUSH BUTTON




| A | 060.6455.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
|----|-------------|---|---|--|---|---|---|--|---|---|--|--|---|--|--|---|---|
| A | 060.6456.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| A | 060.6459.PA | ✓ | | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | | |
| A | 060.6461.PA | | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | | |
| B | 060.6467.PA | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| C | 060.6450.PA | ✓ | | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | | |
| C | 060.6451.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| CC | 060.6452.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | ✓ | ✓ |
| CC | 060.6453.XX | | ✓ | | ✓ | | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| CC | 060.6454.XX | | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| D | 060.6462.PA | | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | | |



3.2. DOORS

A. STANDARD HANDLE




B. REDUCED HANDLE



C. DOOR PULL

coming soon

D. COVER PLATE



ACCESSORIES



E. CYLINDER COVER

Separate cylinder cover available for all Touch door handles.

| A | 061.6337.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
|----|-------------|---|---|--|---|---|---|---|---|---|--|--|---|--|--|--|--|
| A | 061.6338.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| A | 061.6335.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| A | 061.6336.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| AA | 061.6330.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| AA | 061.6331.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| B | 061.6341.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| B | 061.6342.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| B | 061.6339.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| B | 061.6340.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| BB | 061.6332.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| BB | 061.6333.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| D | 061.6345.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| D | 061.6346.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| DD | 061.6343.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| DD | 061.6344.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| E | 061.6334.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | |

F. SECURITY HANDLE



G. REDUCED SECURITY HANDLE



H. SECURITY COVER PLATE



| F | 061.6349.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
|---|-------------|---|---|--|---|---|---|---|---|--|--|---|--|--|---|--|
| F | 061.6350.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| F | 061.6347.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| F | 061.6348.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| G | 061.6351.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| G | 061.6352.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| G | 061.6353.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| G | 061.6354.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| H | 061.6357.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| H | 061.6358.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| H | 061.6355.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |
| H | 061.6356.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | |



3.3. SLIDING DOORS

A. STANDARD HANDLE



B. STANDARD & SECURITY REDUCED HANDLE



C. RECESSED HANDLE



D. SECURITY HANDLE



| A | 061.6337.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
|---|-------------|---|---|--|---|---|---|---|---|---|--|--|---|--|--|---|---|
| A | 061.6338.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | | | | |
| D | 061.6360.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | ✓ | |
| D | 061.6361.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | | | ✓ | |
| B | 061.6351.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | ✓ | |
| B | 061.6352.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | | ✓ | | | ✓ | |
| B | 061.6362.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | ✓ |
| B | 061.6363.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| C | 061.6364.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| C | 061.6370.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| E | 061.6298.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| E | 061.6296.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |

E. COVER PLATE



3.4. LIFT AND SLIDE DOORS

A. STANDARD HANDLE



B. RECESSED HANDLE



| A | 061.6365.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
|---|-------------|---|---|--|---|---|---|---|---|---|--|--|---|--|--|---|---|
| A | 061.6366.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| A | 061.6367.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| A | 061.6368.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | |
| B | 061.6369.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | ✓ |



4.HORIZON

EXCLUSIVE AND ELEGANT DESIGN

Looking for new horizons. That's the ultimate goal of just about everyone who goes building or renovating.

The Horizon handles merge, almost invisibly, into a window. Because of this they fit perfectly with all possible architectural styles.

MATERIAL

Horizon is built from molded or air pressed aluminium. By using pure material the handle range has a wider variety of finishes.

An antimicrobial coating is available on all existing colours and types of powder coating and anodization finishes, and proven to significantly reduce the risk of pathogen transfer.



DESIGN

With a sleek design Horizon handles make the perfect combination for any window or door system.



INSTALLATION

The Horizon range has been a consistent companion for Reynaers profiles throughout the years. This allround, low entry handle range has a solution for every opening type, whether it is as simple as a window or as specific as a panic door.



COLOURS

AVAILABLE COLOURS

The Horizon handles can either be anodized, or powder coated in one of our 400+ RAL-colours.



4.1. WINDOWS

A. STANDARD HANDLE




Also available for CF and outward opening windows

B. ROSELESS HANDLE



Also available with built-in cylinder lock (ref. BB)



| A | 061.6451.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
|----|-------------|---|---|--|---|---|---|--|---|---|---|---|---|---|--|---|---|
| A | 060.6543.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| A | 060.6545.XX | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | |
| A | 060.6546.XX | ✓ | | | ✓ | ✓ | ✓ | | | | ✓ | ✓ | ✓ | | | | |
| B | 061.6453.PA | ✓ | | | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | | |
| BB | 061.6454.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | ✓ | ✓ | | ✓ | ✓ |
| BB | 061.6463.XX | | ✓ | | ✓ | | ✓ | | ✓ | ✓ | | | ✓ | | | | |
| BB | 061.6464.XX | | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | |



4.2. DOORS

A. STANDARD & SECURITY HANDLE



Also available with a short cover plate (ref. AA)

B. REDUCED & SECURITY HANDLE



Also available with a short cover plate (ref. BB)



C. DOOR PULL



D. COVER PLATE

ACCESSORIES



E. CYLINDER COVER
Separate cylinder cover available for all Horizon door handles.

| A | 061.7130.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
|----|-------------|---|---|--|---|---|---|---|---|--|--|---|--|--|--|---|--|
| A | 061.7140.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| A | 061.7480.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| A | 061.7481.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| A | 061.7131.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| A | 061.7141.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| AA | 061.7132.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| AA | 061.7142.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7139.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7149.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| BB | 061.7136.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7134.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7144.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7482.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| B | 061.7483.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| B | 061.7135.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7145.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| BB | 061.7133.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| BB | 061.7143.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| C | 061.7485.XX | | ✓ | | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| C | 061.7484.XX | | ✓ | | | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| D | 061.7486.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| D | 061.7487.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| E | 061.6992.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |



4.3. SLIDING DOORS

Handles for handle operated locks



A. STANDARD HANDLE



Also available with a short cover plate (ref. AA)



B. REDUCED HANDLE



Also available with a short cover plate (ref. BB)

ACCESSORIES



C. CYLINDER COVER
separate cylinder cover available for all door handles of Horizon

D. SECURITY HANDLE



| A | 061.7130.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
|----|-------------|---|---|--|---|---|---|---|---|--|--|---|--|--|--|---|--|
| A | 061.7140.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| | 061.7131.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| | 061.7141.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | ✓ | |
| A | 061.7132.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| A | 061.7142.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| AA | 061.7139.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| AA | 061.7149.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7134.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7144.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7135.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7145.XX | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7136.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| B | 061.7133.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| BB | 061.7143.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| BB | 061.6992.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| BB | 061.7480.XX | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | | |
| C | 061.7481.XX | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | |
| D | | | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | ✓ | |
| D | | | ✓ | | ✓ | ✓ | | ✓ | ✓ | | | ✓ | | | | ✓ | |

5. OLIMPO


AFFORDABLE DESIGN

The OLIMPO line introduces an up-to-date design that meets the latest aesthetic trends.

MATERIAL


The Olimpo handle combines technical solutions of high quality with valuable materials. Available in a wide range of powder-coated, anodized and pvd finishes.

Also available in the mill-finished version for an easy assembly with no need of any special tooling.



DESIGN

The smooth shape of the handles is enhanced by the many finishes available which contribute to meet the highest quality and aesthetical requirements.



COLOURS

AVAILABLE COLOURS

Olimpo is available in all RAL colours, textured and anodised. A handle in the same colour as the frame of the window or door is also possible.

5.1. WINDOWS

A. ROSELESS HANDLE (IRIS)



Also available with built-in cylinder lock (ref. AA)

B. STANDARD HANDLE (EOS)



Also available with built-in cylinder lock (ref. BB)

C. STANDARD HANDLE (GEA)



Also available with built-in cylinder lock (ref. CC)

| A | 060.8588.XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
|----|-------------|---|---|--|---|---|---|--|---|---|--|--|--|--|--|--|--|
| AA | 060.8589.PA | | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |
| B | 060.8586XX | ✓ | | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
| BB | 060.8587.XX | | ✓ | | ✓ | ✓ | ✓ | | ✓ | ✓ | | | | | | | |
| C | 060.8581.PA | ✓ | | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |
| C | 060.8583.PA | ✓ | | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |
| CC | 060.8582.PA | | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |
| CC | 060.8584.PA | | ✓ | | ✓ | ✓ | ✓ | | | ✓ | | | | | | | |



5.2. DOORS

A. DOOR HANDLE (HERA)



| | | | | | | | | | | | | | | | | | |
|---|-------------|---|--|--|---|---|---|---|---|---|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | |
| A | 060.8585.XX | ✓ | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | | |

ABOUT REYNAERS ALUMINIUM

Reynaers Aluminium is a leading European specialist in the development and marketing of innovative and sustainable aluminium solutions for windows, doors, curtain walling, sliding systems, sun screening and conservatories. Besides offering an extensive range of standard solutions, the company also develops solutions that are tailored to the individual customer or project. Research, product development and testing are conducted at the Reynaers Institute, the sector's largest private innovation and testing centre, located in Duffel (Belgium). In addition, the company also provides extensive technical support and advice to fabricators, contractors and architects.



TOGETHER FOR BETTER

WWW.REYNAERS.COM

05/2020 - 0H0.115C.00 - Publisher Responsible at Law: E. Fonteyne - Reynaers Aluminium, Oude Liersebaan 266, B-2570 Duffel
Attention: this overview is updated frequently! To make sure you have the most recent version, please check our website
www.reynaers.com/downloads